

# See Your Pharmacist

For your airway clearance needs



\_\_\_\_\_  
*PATIENT NAME* \_\_\_\_\_, submit this form to  
your pharmacist to obtain the **Aerobika**® OPEP device.  
Use for \_\_\_\_\_ minutes, \_\_\_\_\_ times per day.

\_\_\_\_\_  
HEALTHCARE PROFESSIONAL

\_\_\_\_\_  
DATE

\_\_\_\_\_  
REPLACEMENT DATE



**Insurance coverage  
may be available**

Manual claim submission  
often required



**Breathe Better.**


# Clinically proven to **reduce COPD flare-ups<sup>1</sup>** and **improve lung function** in COPD and Bronchiectasis patients.<sup>2</sup>

WITH **AEROBIKA**<sup>®</sup> OPEP


WITHOUT **AEROBIKA**<sup>®</sup> OPEP



**Closed Airways**  
Airways  
inflamed and  
plugged with  
mucus.<sup>3</sup>



**Opens Airways**  
With pressure.



**Clears Airways**  
Vibrations thin  
and loosen mucus.



**Helps Improve Breathing<sup>4</sup>**  
by facilitating  
airflow.

**Aerobika**<sup>®</sup>

**97% of surveyed Aerobika<sup>®</sup> OPEP users wanted to continue using the device<sup>5</sup>**

<sup>1</sup> Burudpakdee C, *et al.* Pulmonary Therapy 2017. <sup>2</sup> Adapted from Svenningsen S, *et al.* COPD. 2016;13(1):66-74. <sup>3</sup> O'Donnell DE, Parker CM. Thorax 2006;61:354-361. <sup>4</sup> Suggett J. QoL responder rate analysis; SGRQ vs CAT assessment. COPD 10, 2016, UK. <sup>5</sup> Harkness H, *et al.* Survey of Patients using an OPEP device. CRC. 2015.



**FREE** Carrying Case when you join

**myAerobika.com**

HOW TO USE VIDEO

